



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



41.

514.



600051155N



NAVIGATION OF STEAM VESSELS.

TRINITY HOUSE, LONDON,
30th October, 1840.

THE attention of this Corporation having been directed to the numerous, severe, and, in some instances, fatal accidents, which have resulted from the Collision of Vessels navigated by STEAM; and it appearing to be indispensably necessary, in order to guard against the recurrence of similar calamities, that a Regulation should be established for the guidance and government of persons entrusted with the charge of such Vessels; and,

Whereas the recognized Rule for Sailing Vessels is, That those having the Wind fair, shall give way to those on a Wind :—

That when both are going by the Wind, the Vessel on the Starboard Tack shall keep her Wind, and the one on the Larboard Tack bear up,—thereby passing each other on the Larboard hand :—

That when both Vessels have the Wind large or a Beam, and meet, they shall pass each other in the same way on the Larboard hand, to effect which two last-mentioned objects the Helm must be put to Port :

And as Steam Vessels may be considered in the light of Vessels navigating with a fair Wind, and should give way to Sailing Vessels on a Wind on either Tack, it becomes only necessary to provide a Rule for their observance, when meeting other Steamers, or Sailing Vessels, going large :—

Under these considerations, and with the object before stated, this Board has deemed it right to frame and promulgate the following Rule, which on Communication with the Lords Commissioners of the Admiralty, the Elder Brethren find has been already adopted in respect of Steam Vessels in Her Majesty's Service, and they desire earnestly to impress upon the minds of all persons having charge of Steam Vessels, the propriety and urgent necessity of a strict adherence thereto, viz.

RULE.

When STEAM VESSELS on different courses must unavoidably or necessarily cross so near that by continuing their respective courses, there would be a risk of coming in Collision, each Vessel shall put her HELM TO PORT, so as always to pass *on the LARBOARD side of each other.*

A STEAM VESSEL passing another in a narrow Channel, must always leave the Vessel she is passing *on the LARBOARD hand.*

By Order,

J. HERBERT, *Secretary*

THE FOLLOWING WORKS

ARE PUBLISHED

BY CHARLES WILSON,

(LATE J. W. NORIE AND WILSON.)

*. The Numbers refer to Catalogue, 1836.—Part II.

	£	s.	d.
477 <i>The Elements and Practice of Naval Architecture</i> ; or a Treatise on Ship-building, theoretical and practical, on the best Principles established in Great Britain, with copious Tables of Dimensions, Scantlings, &c., with numerous Engravings. The Third Edition, Quarto; with an Appendix, containing the Principles and Practice of constructing the Royal and Mercantile Navies, as invented and introduced by Sir Robert Seppings, Surveyor of His Majesty's Navy. By John Knowles, F.R.S. Secretary to the Committee of Surveyors of His Majesty's Navy, 1822; with 39 large Draughts, or Plates, of Men of War of different Rates; of East and West Indiamen, Merchant Ships, a Life Boat, and various others. The Work and Plates.....	10	10	0
478 <i>The Shipwright's Vade Mecum</i> ; a clear and familiar Introduction to the Principles and Practice of Ship-building, including the more complex Rules of Arithmetic made use of in that Art; with so much of the Principles of Practical Geometry and Mensuration as are required in the Practice thereof. Also a Description of the Sliding Rule; Rules for the Admeasurement of Timber, with several useful Tables, and Tables of Dimensions, &c.; Octavo, Boards, Second Edition, 1822, with four large Draughts or Plates, viz.—No. 1. Sheer Draught, and Body Plans of a 74 Gun Ship.—No. 2. Sheer Draught, &c. of a Merchant Ship of 330 Tons.—No. 3. Disposition of the Frame and the Planking expanded of a Merchant Ship of 330 Tons.—No. 4. The Inboard Works of a Merchant Ship of 330 Tons.—A 19 feet Long Boat, shewing the Nature of Construction by whole Moulding. Done up in Quarto; the Work and Plates	1	5	0
*. This Work may be considered as a proper Companion, or Introduction, to No. 477, and will likewise be found very acceptable to those who cannot make it convenient to purchase the larger Work; but either is complete, according to its object, independent of the other; and both are calculated as well for the young Beginner as for the more experienced Artist.			
479 <i>Art of making Masts, Yards, Gaffs, Booms, Blocks, and Oars</i> , as practised in the Royal Navy, and according to the most approved Methods in the Merchant Service; including a Description of an improved Rule for Mast-makers. Also a new Method by which large Yards may be made from small Trees, and repaired when sprung in the Slings, &c. In Boards. Second Edition, 1816. Accompanied with a separate Volume of Six large Engravings, as follows:—			
Plate I.—Contains the present Method of douling together the different Pieces which compose the made Main-mast and Main-yards of a 74 Gun Ship.			
Plate II.—A made Main-mast of a 100 Gun Ship, shewing the Thickness of the Side Fishes, and Breadth of the Side-trees and Spindle.			
Plate III.—The different Pieces which compose the made Main-mast of a 74 Gun Ship. Top-mast Cross-trees. Truffle and Cross-trees framed together to support the Top.			
Plate IV.—The Foreside of a 74 Gun Ship's Main-mast, shewing the Nature or Method of coaking the Side Fishes into the Surface made by the Side-trees and Spindle, &c. &c.			
Plate V.—Made Main-mast of a 36 Gun Ship, shewing the Thickness of the Side Fishes, and the Breadth of the Side-trees and Spindle, &c. &c.			
Plate VI.—A 36 Gun Ship's Top-mast and Yard, &c. &c. Work and Plates	1	0	0
480 <i>The improved Mast-maker's Rule</i> ; a Plate and Description of which are given in the preceding Work, with a Wood Slide	0	7	0
481 The same, with a Brass Slide	0	8	0
482 The same, with an Ivory Slide	0	9	0

Sailing Directions
FOR
THE WHITE SEA,
TO
ARCHANGEL AND ONEGA,

INCLUDING
INSTRUCTIONS FOR SAILING OVER THE BAR AT
THE ENTRANCE OF THE RIVER DWINA;

WITH AN ACCOUNT OF
THE VARIOUS SIGNALS MADE USE OF AT THE NEW LIGHTHOUSE ON
THE ISLAND OF MUDOSKA, OR MOUDJOUK :

TO WHICH ARE ADDED,
DIRECTIONS FOR THE HARBOUR OF HAMMERFEST,
BY CAPT. J. W. CROWE.

INTENDED TO ACCOMPANY
THE CHART OF THE WHITE SEA,
Drawn from the Surveys made by Order of the Russian Government,

UNDER THE DIRECTION OF
CAPTAIN LIEUTENANT REINEKE.
FROM THE YEARS 1829 TO 1833.

COMPILED BY
J. W. NORIE, Hydrographer, &c.

A NEW EDITION,
REVISED AND CORRECTED.

London :
PRINTED FOR CHARLES WILSON,
(Late J. W. Norie and Wilson,)

Chartseller to the Admiralty, the Honourable East India Company, and Corporation of
Trinity House,
AT THE NAVIGATION WAREHOUSE AND NAVAL ACADEMY,
No. 157, LEADENHALL STREET.

1841.

514.



Entered at Stationers' Hall.

J. Dennett, Printer, 121, Fleet Street.

Sailing Directions
FOR
THE WHITE SEA,
TO
ARCHANGEL AND ONEGA.

*The Courses and Bearings are Magnetic, and the Soundings
are those taken at Low Water.*

TAKING your departure from *Lambaness*, the northern point of the *Shetland Islands*, which lies in latitude $60^{\circ} 49' N.$, and longitude $0^{\circ} 46' W.$, your course to the *North Cape* is winding, so that it is left to your own judgment; only observing, on your passage to the *North Cape*, that you will meet with a difference in your variation as follows:—From the latitude of 63° to that of 67° , three points is the greatest. From the latitude of $67^{\circ} 30'$ to 69° is a fast reduction of the variation to that of $1\frac{1}{2}$ point; from 69° to 70° it is 1 point: 70° to $71^{\circ} 10'$ it is three-quarters of a point, which is the exact latitude of the *North Cape of Lapland*, whose longitude is about $26^{\circ} E.$

Vessels bound to the *White Sea* must make for the *North Cape*, and when abreast of this cape, steer E. by S. 12 leagues for another projecting point of land, called the *North Kyn*, the variation being there about $\frac{1}{2}$ a point W.; from *North Kyn* to the point of land called *Stauningberg*, steer S. E. by E., the distance being 20 leagues: by giving this point a good berth of 3 leagues, a S. E. course will carry you to *Cape Sweetnose*, which lies in latitude $68^{\circ} 10' N.$, and in longitude $39^{\circ} 47' E.$, at a distance of 82 leagues.

When the *North Cape* bears S. by E., and you are distant from it 11 leagues, it appears lofty and dark, with two points branching out to the eastward of it: the *Mother* is also high and black, forming a singular hollow or valley in the middle; from thence to the east part of *Maggeroe* it is hilly and uneven; between the east and west ends are two conical hills, shaped like sugar loaves. There is good anchorage at the south part of *Maggeroe Island* in from 10 to 22 fathoms.

North Kyn is about 37 miles to the eastward of *North Cape*, between which and *Maggeroe Island* is formed a wide, deep, and open bay. From hence the coast presents a broken appearance of several large projecting points and bays; one of the latter is named *Slettness*, where vessels occasionally anchor. Further to the eastward you will discover a remarkable hill, situated at *Horn Point*, the larboard entrance to *Tanny Bay*: this is a wide and convenient place for vessels to run into. *Horn Point* is high and steep, of a dark appearance: the western point of the bay is low, and always looks white, seemingly covered with snow. When you are sailing to the south-eastward, and *Horn Point* bears from W. $\frac{1}{2}$ N. to W. S. W., at about the distance of 7 leagues, it will appear like an island. Having entered *Tanny Bay*, a point of land will appear right a-head: this divides the inner river into two branches.

The shore from hence runs south-easterly, having several large fiords or bays, one of which is about 4 leagues to the south-eastward of *Horn Point*, and may be known by two large hills, which will appear at the bottom of the bay, when you have got the bay quite open. There is another large fiord, about 5 miles further on, and also some lesser openings between this and *Wardhuys Islands*.

Wardhuys Islands lie about 17 leagues distant from *Horn Point*: there is good anchorage between them and the main, and on the S. E. end of the inner island stands a Danish fort, upon which a flag is always to be seen flying in war-time. To the southward of *Wardhuys*

Islands the coast turns to the westward, and forms an extensive bay, within which is situated the town of *Warenger*. About 9 leagues S. E. of *Wardhuys Island* lies *Fisher's Island*, which is long and large, with several places of anchorage about it. Eight or nine leagues from the S. E. end of *Fisher's Island* is the *Bay of Kola*.

In running along the coast from *Wardhuys* to the S. Eastward, steer S. E. $\frac{1}{2}$ E.; for should you go to the southward of S. E., particularly with light winds and foggy weather, you will run in too near to *Kilduin Island*, there being a remarkable indraught with such weather into the *Bay of Kola*.

THE BAY OF KOLA.—Having passed the S. E. end of *Fisher's Island*, the land to the N. W. of *Kola Bay* will appear very high and broken, like islands; and from *Kola Bay* to the north end of *Kilduin Island* it continues uneven: about midway, between the Bay and *Kilduin*, is a remarkable high hill. The north-west end of *Kilduin* is high, dark, and steep, with a flat or step about 20 feet high; but the S. E. point is low.

From *Kilduin* to *Tierebieri Point* the shore is level. There is good anchorage in the *Bay of Kola*, and also between *Kilduin Island* and the main. At the latter place the anchorage is on the east side of the bay, and opposite to the huts, in from 10 to 14 fathoms water.

From *Kilduin Island* to *Nagel Island* the land continues to run south-easterly, having several bays and rivers, little known or frequented. The most remarkable objects you will pass are the *Seven Islands*, which lie scattered at a little distance from the main; here you may observe the fourth of these islands, which is small, and of great height, situated somewhat within the others: on the middle of this island, about half way from its summit, is a remarkable square white patch, supposed to be the dung of birds. Here the variation is $3^{\circ} 30'$ W. When within these islands, and between them and the main, from the third to the fifth island, the water becomes shal-

low, and the ground rocky, there being only 18 feet water at low spring-ebbs.

NAGEL ISLAND lies to the south-eastward of the *Seven Islands*, at a short distance from the main, having behind it good anchorage, as there is also in the mouth of the *River Litza*. Here, between the island and the main, is a shoal, which must be avoided; but as you advance further in, you will find from 11 to 7 fathoms, fine sandy ground; or you may run up the river 3 or 4 miles, and anchor in 6 or 7 fathoms water. Here the tides rise and fall about 16 feet. This place abounds with cod and other fish.

From *Nagel Island* to *Sweetnose Bay* the land is high, and very irregular. Vessels taking their departure from *Wardhuys Island* to *Cape Sweetnose*, should steer S. E. Easterly.*

CAPE SWEETNOSE, or SVETOINOS, is the northern extremity of a narrow isthmus, which runs out from the main, forming a kind of bay between, and sheltering it on the eastern side; within this bay the water is deep, and on its western side are several islands, behind which there is good anchorage, and at the further or southern part of the bay are some settlements of the native Laplanders.

The mariner, in advancing from the northward toward *Cape Sweetnose*, should keep his lead going, and when in a fair-way for the cape, at the distance of 3 or 4 leagues off, in clear weather, he will perceive the cape, then bearing about S. W. or W. S. W., the soundings being from 30 to 45 fathoms, stony bottom. Here the variation decreases to 1° W. Do not approach too near the cape, because it is rocky; and at the distance of 2½ miles E. by S. from the pitch thereof, there is a dangerous rock, on which the *Diana* struck in 1804. The tide was then flowing, rapidly rising 13 feet, by which

* The above directions between *North Cape* and *Cape Sweetnose* cannot be depended on, as no regular survey has yet been made of those coasts.

the ship got again afloat. On a rock, 70 feet high, at low water, and situated 2,100 feet from *Cape Sweetnose*, a wooden tower has been erected, 42 feet high, and painted red and white. This tower is situated N. N. W. from the cape, and may be seen, in clear weather, $10\frac{1}{2}$ miles. *Cape Sweetnose* is very low land, but $1\frac{1}{2}$ mile to the south-eastward it becomes hilly; five miles further it projects out toward the sea, and from thence to *Lumbowski Islands* it appears level; the hills and valleys always contain much snow.

From the above-mentioned situation, namely, with *Cape Sweetnose* bearing about S. W. or W. S. W., distant 3 or 4 leagues, steer S. E. $\frac{1}{2}$ S. about 14 leagues, which will carry you abreast of *Point Gorodetski*, keeping 3 leagues off the land; from thence you may shape your course S. by E. for 11 leagues, when you will be abreast of the *white tower* on *Orlofka Point*, about 2 leagues distant. This tower is in latitude $67^{\circ} 11' N.$, and longitude $41^{\circ} 22' E.$; but if, on reaching *Cape Sweetnose*, the weather should be thick and hazy, you will be guided by your soundings, and observing, as near as possible, the above courses, which will lead you clear of all danger.

The old charts represented what was called **KNOCK JOHN**, a long and narrow ridge of sand, beginning in a point somewhat to the northward of *Cape Sweetnose*, and stretching southward as far as the 67° of latitude, with from 40 to 3 fathoms water over it; but this appears to have been chiefly imaginary, as the late Russian surveys* make no mention of it, but exhibit various ridges of shoal ground, and some very dangerous patches, in general lying more to the eastward, the nearest of which, to the Lapland shore, lies from E. by N. to E. by S., distant $12\frac{1}{2}$ miles from the *white tower* on *Orlofka Point*; but as no written description would give the mariner an adequate idea of these dangers, we refer him to the Chart, where he will find the whole of them, together with other parts of the navigation, carefully delineated.

* See the new Chart, which accompanies these Directions.

As you sail along, you will observe that the land to the northward of *Orlofka*, or *Orlogenose Point*, is all high and level, and in the *Bight of Orlofka* a large quantity of snow is always perceptible. On the *Point of Orlofka* a *white tower* has lately been erected, and about half a mile within the point, upon a hill, stands a large cross. Three miles southward of the point are three remarkable hills; the two northern ones are round, the other flat. Having arrived abreast of *Orlofka Point*, bring it to bear about W. $\frac{1}{2}$ S., distant 5 or 6 miles, and proceed S. $\frac{1}{2}$ W. for 7 leagues. About 5 miles from *Orlofka Point* lie the *Three Islands*; three-quarters of a mile before you come to which you may perceive a large valley, which forms the entrance to the *River Russinga*. These islands lie well open of the main, and there is a dark piece of land near them, which much resembles an island: the north part of the passage is a quarter of a mile wide. Within here is a place frequented as a rendezvous for small vessels bound northward: the southern passage has a rocky shoal extending from the islands nearly a mile.

Having passed these islands, with the above course and distance, you will open *Panoi River*, which has a remarkable appearance; on the larboard or south-western shore stand two houses, the eastern one being much larger than the other. When *Panoi River* comes quite open, it will bear from you N. W. by N.: a S. W. by S. course will then carry you to *Sosnovits*, or *Cross Island*, a distance of 10 leagues.

About five miles to the southward of *Panoi River* are three remarkable hills, high towards the south, but sinking down to the northward: between these and *Panoi River* is a small hill inland, resembling a haystack. From hence the land, so far as *Glubokaya River*, wears a sterile appearance, but to the southward it becomes woody.

CROSS ISLAND, or SOSNOVITS, will easily be distinguished by several wooden crosses upon it: two of

these stand upon the north end of the island, which is high, and nine upon the southern part, which gradually becomes low, and slopes down to its extremity: there is also a *red tower*, which has lately been erected on it. There is a good and safe channel between *Cross Island* and the main, and vessels may find anchorage under the island in 5, 6, or 7 fathoms, on a bottom of blue mud; this will be found preferable to anchoring at a distance from the island, or in the bight near the main, for there the ground is rocky.

A *white tower* has lately been erected on the north side of the *River Pulonga*.

From *Cross Island*, if bound to *Archangel*, you will run over for *Cape Katness*, or *Blue Nose*, the distance being about 22 leagues; but as the current frequently sets strong, particularly in the spring, for the *Bay of Mezen*, it will be advisable to steer, first S. W. $\frac{1}{2}$ S. 6 or 7 leagues, and then S. S. W. directly for *Katness*. In proceeding on the former course, along the shore, you will observe two remarkable hills inland, very high and woody, with a hollow in the middle. About five miles inland there is a particular wood, two miles in length: this wood is visible at a great distance, and appears like two hills, particularly when you are to the eastward of N. E.; this forms a remarkable object for ships when beating down with north-easterly winds.

In sailing to *Archangel* in the spring of the year, if you fall in with the ice, your best way will be to keep close to the Lapland shore, as you will then have a greater chance of getting through it. In beating up the *White Sea*, it is advisable to keep on the Lapland shore, as you will have a stronger flood and weaker ebb than on the opposite coast, and you will find good anchorage all along the coast so far as *Cross Island*; but beyond that the ground is bad; and as high up as *Pelitz River* you must not approach the shore nearer than $2\frac{1}{2}$ miles, there being a number of sunken rocks all along.

INSTRUCTIONS FOR THE ENTRANCE OF THE RIVER
DWINA TO ARCHANGEL.

SAILING up the *White Sea* towards *Archangel*, men of war and merchantmen, after passing the *Winter Hills*, or what is generally called *Blue Nose Point*, must shape their course parallel to the land, keeping near to it; and when they are off the middle of the projecting point, on the larboard hand, called *Nicholas Point*, at the entrance of what is denominated the *Dry Sea*, they will observe a tower, lately built, (A)* eighty-four English feet in height from the base, which is painted white, and at the bottom of this tower is the pilot's house; when arrived abreast of this tower, they will be met by pilots, whose duty it is to convey them over the shallow parts of the bar, and up to the *Port of Archangel*.

But in case any ships or vessels, on account of the wind, current, or other circumstances, should be driven from the coast to the westward, they must use their utmost endeavours to get sight of the above-mentioned tower, and bring it to bear N. E. by N., keeping it in that direction until they get to bear S. E., a large floating cone buoy, painted red, with a flag-staff and vane, which was laid down in the summer of 1818 (D), instead of the common buoy formerly placed at the north end of the outermost shoal; with these marks on, they will have good anchoring ground in 6 fathoms (C), at the distance of five versts (nearly three nautical miles) from the shore, and six versts from the bar, where they must wait for pilots, who will come off to their assistance from their house.

But should it happen that, from stress of weather, vessels cannot approach near the tower, or from loss of anchors cannot wait for a pilot, and should be obliged,

* The letters in the above instructions refer to the Plan of the Entrance of the River Dwina to the Port of Archangel, included in the New Chart of the White Sea, already referred to.

as the last resource, to attempt passing the bar without a pilot, in this critical situation, to prevent danger as much as possible, the following instructions must be attended to:—

From the above-mentioned large red cone buoy (D), red buoys are placed on the starboard, and black buoys on the larboard, of the proper channel; if, therefore, merchant vessels are obliged to attempt this dangerous passage without a pilot, they must bring the cone buoy in a line with two masts on the shore (F), which were erected about the latter end of June, 1818; and leaving this buoy about $1\frac{1}{2}$ or 2 cables' length to the starboard, steer between the red and black buoys as far as the place pointed out by the letter G, where they may come to an anchor. But if they wish to continue their course between the beacons laid down to shew the channel, they may proceed till they come to H, where the guard-ship is moored.

It is, however, recommended, if possible, not to attempt passing the bar without pilots, as it is attended with the utmost danger, not only from the bar, but other adjacent shoals. All vessels coming from sea ought to avoid passing the shoals without pilots; and if the number of ships should be so great that there are not sufficient pilots to attend them, those without pilots must come to an anchor, and wait till their return from other vessels; likewise if pilots cannot come off from the tower (A), on account of gales of wind, the vessel or vessels ought to cast anchor, and wait for their arrival; for if, on the contrary, they attempt passing the bar or shoals, and any accident should happen, they must take the consequences on themselves.

REMARKS.—The depth is marked in English feet at low water. The rise of the tide is three feet on the bar, and the time of high water, on full and change days, 7h. 18m.; but with strong winds from the N. N. W. to N. E. the tide will rise much higher. The variation at *Archangel Bay* is about one and a half degree west.

NEW LIGHTHOUSE *on the Island of Mudoska, or Moud-jouk.* A stone lighthouse has lately been erected on the *Island of Mudoska*, for the guidance of vessels entering and leaving the *Port of Archangel*. The height of the lighthouse is 130 feet from the summit to the base, and the whole height of the lantern above the level of the sea is 140 feet. It stands in latitude $64^{\circ} 55' N.$, and longitude $40^{\circ} 17' E.$ The light, which is *fixed*, will be visible during the months of August, September, and October in every year, from N. N. W., westward, to S. E. by S., at the distance of 16 miles, in clear weather. The following instructions were issued from the Russian Government in 1839:

“ On the approach of any ship near the bar at *Archangel*, the pilots on duty at the lighthouse must hold themselves in readiness to go on board as soon as the vessel is abreast of the iron gates; they must endeavour to go on board, even during tempestuous weather, if possible.

“ As soon as the pilots are on board their boat, the inspector of the lighthouse must indicate by signals the direction of the current, and the depth of the principal channel on the bar. The signals to be used will be those shewn in Table No. 1. (See the Chart.)

“ If from the high sea, or the violence of the wind, the pilots should be prevented from going on board the vessel, the inspector must give notice of it to such ships requiring a pilot, by hoisting balls, which will indicate the setting of the current, and the depth of the principal channel, as shewn in Table No. 2. If, however, after the signal has been made, indicating the impossibility of a pilot giving assistance, the vessel should be compelled to enter the river, then the captain must give notice of it, by hoisting half-mast high, on his top-gallant-mast, the flag which he had hoisted for a pilot, and the lighthouse must answer that signal by lowering the balls half-mast. The vessel will acknowledge that signal by re-hoisting her own flag to its former position; and if the buoys are

in their proper places, then the lighthouse will re-hoist the balls; but if the buoys should have drifted, then the balls must be taken down altogether, which will signify that there is no reliance to be placed on the buoys, and, therefore, the captains must use their own discretion."

CROSS ISLAND TO ONEGA.—Vessels being abreast of *Cross Island*, and bound to *Onega*, must steer for *Cape Donega*. This will require a S. W. $\frac{1}{2}$ W. course; but a proper allowance must be made for the current; and therefore you should run somewhat more westerly; you will frequently observe the water ripple, but there is no danger. At a distance *Cape Donega* will appear high, covered with tall trees, and having a white sandy shore. N. N. W. from the point of the cape lies the small *Island of Rovestra*, or *Gishginsh*, of considerable elevation, and having a tower upon it: here the pilots for *Onega* commonly reside; there is a narrow channel between the cape and island, with 4 or 5 fathoms water in it, but should not be attempted by strangers; the N. E. side of *Rovestra* is foul, and so is the southern part; therefore you must not come within 2 miles of the former, until you have brought the western point of the island to bear south; you may then approach nearer, or within a mile of it; but vessels meeting contrary winds, and not obtaining a pilot, will do well to stand over to the westward for *Anger*, or *Anzersk Island*, on the northern side of which they may ride in safety; here the best anchorage will be to bring the western end of the island to bear S. W. by W., and the *Eastern Hummock* S. by E., at about one mile distance from the shore.

ANGER, OR ANZERSK ISLAND lies about 13 miles to the westward of *Rovestra Island*; its length from E. to W. is nine miles; its breadth is very narrow. One and a half mile to the northward of *Anger Island* is a sunken rock, called *Troitskie Stamika*; it has deep water all around it, and must be carefully avoided. To the westward of *Anger* is the large irregular *Island of*

Solovetski, on the S. E. side of which is *Muksalma Island*, having an extensive reef, stretching from it to the S. Eastward. This group of islands lies directly in the middle of the entrance to the *Gulf of Onega*. There is a channel between *Solovetski* and *Muksalma Islands* and *Anger Island*, in which are from 10 to 30 fathoms water. There is also a small rock above water, named *Kemski*, bearing W. N. W. distant 8 miles from the N. Western part of *Solovetski Island*.

Having reached *Rovestra Island*, the customary passage to *Onega* is between that island and *Anger*; a S. W. by S. course will carry you right through this channel; on your larboard hand you will see the *Point of Orloff*, which is high, and has a signal-post upon it, and near it the *Konkova Hills*. To the southward of *Orloff Point* is the *Bay of Pushlachta*, which is both safe and commodious, and to which all vessels arriving too late in the season, when it becomes dangerous to run for *Archangel*, should immediately repair. Directly N. W. by W. $\frac{1}{2}$ W., about 4 miles from the mouth of this bay, the Russian Charts exhibit a small sand-bank, about $3\frac{1}{2}$ miles in length from north to south, and 2 in breadth, with 5 fathoms on its northern and southern ends, and $3\frac{1}{2}$ and $2\frac{1}{2}$ on its central and shoalest part. About $6\frac{1}{2}$ miles to the southward of the entrance to *Pushlachta* is *Point Tchesmenski*; having passed which, at the distance of 3 miles, a S. E. $\frac{1}{2}$ S. course will carry you down the gulf, and when you get the monastery on *Kio Island* to bear East, you will be about 5 miles distant from the bar of the *River Onega*, and may steer E. S. E. directly for it. In this passage the old directions make mention of several overfalls; but the new Russian Survey does not authorize us to notice any. About 20 miles S. E. $\frac{1}{2}$ S. from *Tchesmenski Point* is *Lempsa Church*, easily to be known by the white sandy hills about it. The mariner will be careful to avoid standing out too far to the westward, or getting entangled within the *Ostrava Islands*, which lie scattered about the western side of the *Gulf of*

Onega, because there are numerous patches of shoal water, and the setting of the tides is very uncertain. In sailing along the eastern shore, you should keep in 6, 7, 8, or 10 fathoms. Having passed 8 or 9 miles to the southward of *Lempsa*, the eastern shore bends inward more easterly toward *Purmena* and *Kanda*, &c. The shore becoming shallow and sandy, to the northward you will see, over the bottom of a sandy bay, the *Ruchevka Hills*, and to the southward of *Kanda*, the *Winter Hills*. About 5 leagues S. S. E. $\frac{1}{2}$ E. from *Lempsa*, and 6 leagues W. by S. from *Kanda*, lies the small *Island of Pur Luda*, which you may pass on either side. Before the entrance to *Onega* lies the *Island of Kio*, and a little outside the bar are the *Shakloni Islands*. If you are going to the westward of *Pur Luda*, endeavour to bring these islands in one, or nearly so, bearing S. E. $\frac{1}{2}$ E.; but if you sail to the eastward of *Pur Luda*, steer for the *Shakloni Islands* S. S. E., and, giving them a good berth on your larboard hand, taking care to avoid a sunken rock, which lies $2\frac{1}{2}$ miles to the N. W. of them, you will arrive at the *Bar of Onega*.

THE GULF OF KANDALAX, OR KANDALAKSHA, is a large arm of the sea, stretching to the N. Westward of the *White Sea*. Its entrance between *Cancer*, or *Point Pur Navolok*, and *Olenitsa*, is full 30 miles wide, with very deep water in it; but as you advance, it becomes narrower and shallower. From abreast of *Cancer Point* it extends N. Westerly full 29 leagues, and contains several islands, towns, and bays; but they are little frequented by strangers. The *Town* and *River of Kandalax* are at the further end of the gulf. From *Rovestra Island* a N. W. course nearly will carry you direct to *Kandalax*; but if you should take your departure from abreast of *Cross Island*, you should steer S. W. $\frac{1}{2}$ W. 15 or 16 leagues; and then a due westerly course will carry you to *Cancer Point*, whence you may proceed N. W. along the larboard side of the gulf, until abreast of, or rather beyond, the *Island of*

Waliki. Here are some spots of shoal water, with from 46 to 105 fathoms about them; having passed these, steer up midway of the gulf; but there are in its upper part so many dangers, that a pilot will always be requisite.

MEZEN BAY AND RIVER.—This bay lies on the eastern side of the *White Sea*, and is wholly out of the way of the passage to *Archangel*, *Onega*, &c. Vessels bound to either of these places are commonly cautioned to shun *Mezen Bay*, on account of the number of shoals which lie about its entrance; and the indraught which, especially in the spring, when the snow melts, and swells the rivers in the *White Sea*, occasions a strong ebb to set toward the bay.

Mezen Bay may be considered to be bounded by *Cape Voronoff*, or *Good Fortune*, which is high and steep, on the westward, and *Cape Konoushin* on the eastward; to the N. Eastward of *Cape Voronoff*, 12 miles, is the *Island of Morshovets*, the N. E. part of which is high and steep: off the Eastern and S. Eastern part are several dangerous shoals, some of which are nearly dry, others of 1 and $1\frac{1}{2}$ fathom water, making the passage to the eastward of the island hazardous and unsafe. N. W. by N. from *Cape Voronoff*, distant nearly 3 leagues, there is a small knoll of $5\frac{1}{2}$ fathoms, though between it and the cape there are 8 and 7 fathoms; a still more dangerous shoal lies E. $\frac{1}{2}$ S. distant about 2 leagues from the nearest high land of *Cape Voronoff*; this shoal has not more than $10\frac{1}{2}$ feet water upon it, and might prove highly dangerous to ships beating in this vicinity. To the southward the *Bay of Mezen* lies completely open and free from danger: its entrance, abreast of *Cape Abramoff*, is 7 leagues, and as it runs in to the southward, it narrows rapidly. On the western side is the *River Kuloi*, from the entrance of which the *Town of Mezen* is 26 miles distant: in *Mezen River* and *Bay* are 3, 4, 5, 6, 8, and 12 fathoms water, the depth increasing as you get to the northward; there is no other bay on the eastern shore between *Mezen* and *Cape Candinose*.

The variation on the eastern side, from *Mezen* to *Candinose*, appears to be somewhat easterly, while on the western coast it is a little to the west; at *Cape Candinose* it is 4° E., and at *Cape Sweetnose* 1½° West.

THE TIDES.

The flood to the eastward of the *North Cape* sets from N. W. and N. N. W., and along the coast to *Cape Orlofka*. At *Tanny Bay* it flows till 3 o'clock; at *Wardhuys* it flows till 4 o'clock; at the *Island of Kilduin* it flows at 7 o'clock, and the water rises about 12 feet; at the *Seven Islands* at 8 o'clock; at *Cape Sweetnose* it flows at half-past 8, and the water rises from 12 to 17 feet; at the *Three Islands* it flows at a quarter past 2 o'clock, and the tide rises from 16 to 18 feet; at *Cross Island* it flows at a quarter past 4 o'clock; at *Blue Nose* at half an hour past 5; between these places the flood sets about S. W. by W. At the *Bar of Archangel* it flows at 7h. 18m.; at *Cape Donega* at 6; and at *Onega* at 8h. 40m. Between *Cape Donega* and the *Bar of Onega* the flood-tide sets S. E. by S. nearly along the land, at the rate of 2 knots in spring-tides; and the water rises about 6 feet.

A D D E N D A.

We insert the following Extracts from a Work, published by ARTHUR DE CAPELL BROOK, M.A, F.R.S. &c., as they may prove highly important to Navigators of the Northern Seas.

“ The settlement of *Hammerfest* is situate on the coast of *Finmark*, usually known by the name of *Danish*, or *Norwegian Lapland*; the latter of which, however, is now the most appropriate, as it no longer belongs to Denmark, Norway having been annexed to Sweden. The whole of the northern coast, up to the *North Cape*, is covered by a deep range of islands, which at some time or other, probably formed part of the continent, and are now of the greatest importance to it, by bearing the whole brunt of the rage of the *Arctic*, or *Polar Ocean*, sheltering it from the violence of the storms, and securing what may be deemed an inland navigation, which is continued with little interruption from the *North Cape* in *Finmark* to the *Naze*, or *South Cape of Norway*, in latitude 57° 58' North. *Hammerfest* is built on one of these islands, that of *Qualöen*, or *Whale Island*, which is not exposed to the open ocean, but lies between the continent and the large *Island of Soröe*; this shelters it to the west, as the *Islands of Seyland* do to the S. and S.W. The *Island of Qualöen*, which is one of the most considerable on the *Finmark* coast, is barren and mountainous, totally uncultivated, and without wood, except brushwood, or the dwarf-birch. *Hammerfest* lies on the S. W.

side of it, about 40 miles N. E. from *Hasvig*, 50 N. N. E. from *Alten*, and near 60 S. W. from the *North Cape*. (Page 231.)

“The *Bay of Hammerfest*, which is sufficiently capacious to contain nearly the whole British Navy, is well sheltered by the surrounding mountains from all winds, except from S. S. W. to W. S. W., and even when these blow hard, vessels will always ride in safety near the *Fuglenæs* shore, where the anchorage is the best, and the depth varies regularly from five to twenty fathoms, which is the general depth of the whole bay.

The *Harbour of Hammerfest*,* though small, and not able to hold more than 10 or 15 vessels, is perhaps one of the most secure in the world, as no wind can affect its shipping. In fact, it may be said to be completely land-locked, so that when a gale of wind is blowing on the outside, it remains unruffled, and presents almost the appearance of an inland basin. The anchorage is at the same time excellent, in from 3 to 5 fathoms, with good moorings for the vessels, by means of iron rings driven into the rocks. This accommodation of rings is common to all the coast of *Nordland* and *Finmark*; and for the use of them a small impost is collected from every vessel, both native and foreign. The port altogether is so convenient, from its easy access and vicinity to the open ocean, as well as from the safety it affords from almost every kind of weather, that it is much to be regretted it is so little known to our navigators, as many a vessel, lost on these exposed and dangerous coasts, would doubtless have been saved, had they been aware of the entrance and situation of so secure a harbour, in which to take shelter. (Page 14.)

“It was in 1819 that the first Englishman settled himself upon the *Finmark* shores. This was Mr. John Crowe, who, having been for some time in the naval

* A plan of *Hammerfest Bay* and *Harbour* is given in a Chart of the Coast of Norway and the White Sea, published by the proprietor of this Work.

service of Russia, had quitted it with several other officers, on the breaking out of the war between England and the former power. Accidental circumstances having thus thrown him out of the line of his profession, he turned his attention to commerce, and being well acquainted with the language, as well as the state and capabilities of the northern trade of Russia, he, after having explored the coasts of the *White Sea*, established a factory at *Fuglenæs*, situate on the western coast of *Finmark*, and forming the arm of the *Bay of Hammerfest*. Anterior to this period, at least in modern times, no British vessels had visited these coasts for the purposes of commerce; and although they afford safe and commodious harbours, they are altogether so little known to our navigators, that our vessels in their voyages to and from *Archangel*, *Onega*, and other parts of the *White Sea*, have, in the worst weather, preferred keeping the sea at any risk, rather than trust themselves within reach of a coast, the very sight of which is, with reason, formidable to those unacquainted with it. In this respect alone, the above establishment will be of extreme advantage to our trade in general with the *White Sea*, both by rendering these coasts more known, and removing the impressions of alarm and distrust: for instance, how important it must be for a vessel to know that in the vicinity of the *North Cape*, on a coast considered hitherto as perfectly savage and uninhabited, a secure and commodious harbour is open to her; where not only good pilotage may be afforded her, but she may supply herself with water, and indeed almost every thing she may stand in need of. (Page 258.)

“The situation of *Hammerfest* is very convenient for conducting a whale fishery, not only as to its own coast, but from its vicinity to *Cherie Island*, and *Spitzbergen*. Vessels can be fitted out at a very trifling expense, and perform two voyages to those regions, while vessels from any other country can scarcely accomplish one. Several experiments of this nature have been tried, though upon

a very limited scale, for want of adequate means and knowledge. Sufficient, however, has been ascertained, to establish the practicability and advantage of such an undertaking, while the progress or prosecution of it would probably ensure the means, and afford the insight and experience which are wanted. A very extensive fishery was formerly conducted on this coast, and from the accounts and remains of the establishments along the shores, there is reason to suppose that it was profitable. A considerable bounty was offered by the Danish Government to those who should prosecute whale fishing here; and for a series of years the Dutch visited the coasts and were very successful. From a combination of circumstances, however, the pursuit was discontinued, and at present it is scarcely known that it ever existed. The number of fin whales now visiting the coast is very considerable, but no one has the means, or at least sufficient enterprise, to revive the fishery. No greater proof of the practicability of renewing it need be given, than the number of whales annually struck by the Laplanders while on the banks, though it is true few are captured; but this is for want of proper gear to secure their prey when struck." (Page 266.)

BEAR, CHERIE OR CHERRY ISLAND. This island was first discovered by the Dutch in 1596, by whom it was called *Bear Island*; and was afterwards visited by Stephen Bennett, who was sent thither by Sir Francis Cherie, in the year 1603, and was named by Mr. B. *Cherie Island*, since corrupted to *Cherry Island*. Its greatest extent is about 10 miles, and it appears at a distance like a saddle, both extremes being very high and the middle low, and can be seen 20 leagues off in fine weather. On the N. E. end are three regular hills of considerable elevation, covered in general entirely with snow; the S. W. end is more irregular. The position of this island has been variously estimated; Mr. Phillips,

Master of H. M. S. Alexandria, in 1813, made his anchorage off the N. E. coast, in latitude $74^{\circ} 33' N.$, and longitude $18^{\circ} 25' 45'' E.$, and the variation of the compass $11^{\circ} 50' W.$; but Captain Scoresby states its north end to be in latitude $74^{\circ} 30' N.$, and longitude $19^{\circ} 5' E.$; and a British officer, in 1814, places its south end in latitude $74^{\circ} 19' N.$, and longitude $20^{\circ} 7' E.$

Besides moroses or sea-horses, this island abounds with bears, foxes, and sea fowl, and its shores, at certain seasons, is said to be visited by cod and haddock. Much drift wood also occurs on the coast; lead ore in veins at the surface of the ground has been found here, likewise coal of a tolerable quality, and specimens of virgin silver.

At the N. E. point is a little bay with good anchorage, where ships may ride in shelter with the wind from S. E. to S. W., but exposed from E. S. E. (north about) to W. S. W.; although this is the only bay where a ship can run for shelter in blowing weather, the anchorage is good all round the island. Mr. Phillips found good anchorage off the N. E. side in twenty fathoms, shelly bottom, with a little island, called *Gull Island*, just open of the N. E. point of *Cherie Island*, about 3 miles from the shore.

On full and change it is high water at 2h. 30m. and the rise of the tide by the shore is 3 feet. The flood sets in from the S. W. and the ebb in a contrary direction.

SAILING DIRECTIONS
FOR THE
HARBOUR OF HAMMERFEST,
(*On the Coast of Norway,*)
BY CAPTAIN J. W. CROWE.

SHIPS coming from the southward and westward generally make the high *Island of Fugeloe*,* it being a remarkable land-mark, flat on the top with perpendicular sides, and having a small island lying N. W. distant about one-third of a mile; they then steer along the coast, passing the high *Island of Arenoe*, till they make the *Island of Loppin*, which is known by its being the lowest land on the coast, and flat on the top. There are two sunken rocks with deep water all round, between *Arenoe* and *Loppin*, but they do not lay in the track of vessels, and the sea always breaks over them. Pilots are always to be had at *Loppin* and *Hasvig*, and you may stand close round *Loppin*, and steer for the *Island of Silden*, which makes like sugar loaves. There is good anchorage between *Loppin* and the main, in from 10 to 18 fathoms water, sandy bottom, and a clear passage right through; as it is all day-light† and there is no other danger but what is here mentioned, vessels may safely run in and get into smooth water, when they are always sure to have boats come off to their assistance. From *Loppin* steer towards the *Point of Hasvig*; the course is about E. N. E. by compass, distance 16 miles. Giving *Hasvig Point* a fair berth, steer E. by N. up *Soroe Sound* 15 miles, when you will come to a small island lying a cable's length from the N. W. shore. There is a passage on both sides of this island, but the northern shore is the one generally used: there are small rocks along the northern shore, but they are all closed in and

* Outside of *Fugeloe* a rocky shoal is said to exist, bearing from it N. W., distance 7 or 8 miles, which the sea breaks over in bad weather, its length being about 3 miles, running E. N. E. and W. S. W.; but I have been cruising off there twice for a week together, and never saw it; but I have observed, in the same direction, a very heavy rippling of the current, caused by the meeting of the inside and outside currents.

† During the navigable season of the year.

above water. In a direct line, distance about $1\frac{1}{2}$ cable's length from the small island, is a sunken rock, with 3 feet water on it at low water, and 17 fathoms close to it on the southern side; therefore vessels must not stand too far to the northward till they are a sufficient distance past the small island. By this time you will make the high *Island of Hogen* which you may steer directly for, when you will see the house with a red roof, and a flag-staff on *Fugleness Point*,* which you must steer for; give the point a fair berth, and you may bring up above the warehouses abreast of the ring, in from 7 to 15 fathoms water, sand and mud.

Coming from the northward, after making the *Island of Soroe*, steer in between *Soroe* and *Ingen*, and you will make *Ships (holm)* or *Island*; then steer between it and *Soroe* for the high land of *Mulling*, the course being S. S. W., and distance 10 miles; you will then steer along the land till you pass the *Island of Milkey*, which is known by running like a point into the sea. Between *Milkey* and *Qualoe* is a passage, but strangers must not attempt it, as it is shoal and has sunken rocks about it, therefore haul round *Milkey*, to which give a good berth, as there lies a rocky shoal on the S. W. point, about half a cable's length from the shore; then make *Fugleness Point*, and bring up according to the foregoing directions. It must be observed that the tide outside runs 9 hours to the N. E. and $3\frac{1}{2}$ hours to S. W.; inside, the tides are regular, only the stream does not shift in mid-channel till it is half ebb on shore. In turning into *Hammerfest Bay*, you must not stand too close to the eastern shore, as there lies a large sunken rock about a cable's length off, which is nearly dry at low water; it is 2 miles from *Hammerfest*, and the mark to clear it is the house on the flat at the top of the bay, half a cable's length open of *Hammerfest Point* or the warehouses.

* *Fugleness Point* lies in latitude $70^{\circ} 39' 51''$ N., and longitude $23^{\circ} 43' 15''$ E.

